

Response rates to the Basic Survey by district
 Preceding and full-scale surveys As of 30 June 2014

Area	District	Target population	Response	Response rates	Completed dose estimation	Proportion	Returned results	Proportion
		a	b	c=b/a	d	e=d/b	f	g=f/b
Kempoku	Fukushima	295,656	90,686	30.7%	86,520	95.4%	84,629	93.3%
	Nihonmatsu	60,859	15,984	26.3%	15,170	94.9%	14,774	92.4%
	Date	67,585	17,880	26.5%	16,820	94.1%	16,270	91.0%
	Motomiya	31,768	8,356	26.3%	7,896	94.5%	7,629	91.3%
	Kori	13,207	3,833	29.0%	3,636	94.9%	3,535	92.2%
	Kunimi	10,316	2,950	28.6%	2,782	94.3%	2,693	91.3%
	Kawamata	15,888	5,037	31.7%	4,847	96.2%	4,806	95.4%
	Otama	8,800	1,841	20.9%	1,739	94.5%	1,648	89.5%
	Subtotal	504,079	146,567	29.1%	139,410	95.1%	135,984	92.8%
Kenchu	Koriyama	339,792	83,151	24.5%	78,275	94.1%	75,801	91.2%
	Sukagawa	80,167	16,499	20.6%	15,350	93.0%	14,777	89.6%
	Tamura	41,726	9,834	23.6%	9,417	95.8%	9,365	95.2%
	Kagamiishi	13,112	2,828	21.6%	2,640	93.4%	2,540	89.8%
	Tenei	6,469	1,158	17.9%	990	85.5%	949	82.0%
	Ishikawa	17,494	4,145	23.7%	3,886	93.8%	3,759	90.7%
	Tamakawa	7,339	1,458	19.9%	1,367	93.8%	1,333	91.4%
	Hirata	7,054	1,623	23.0%	1,512	93.2%	1,453	89.5%
	Asakawa	7,163	1,466	20.5%	1,368	93.3%	1,303	88.9%
	Furudono	6,319	1,276	20.2%	1,200	94.0%	1,146	89.8%
	Miharu	19,005	4,731	24.9%	4,486	94.8%	4,342	91.8%
	Ono	11,704	2,507	21.4%	2,333	93.1%	2,249	89.7%
	Subtotal	557,344	130,676	23.4%	122,824	94.0%	119,017	91.1%
Kennan	Shirakawa	65,429	13,991	21.4%	12,642	90.4%	12,132	86.7%
	Nishigo	20,089	4,732	23.6%	4,423	93.5%	4,259	90.0%
	Izumizaki	6,931	1,300	18.8%	1,202	92.5%	1,166	89.7%
	Nakajima	5,306	950	17.9%	877	92.3%	806	84.8%
	Yabuki	18,345	3,970	21.6%	3,694	93.0%	3,520	88.7%
	Tanagura	15,384	2,901	18.9%	2,683	92.5%	2,489	85.8%
	Yamatsuri	6,489	1,428	22.0%	1,314	92.0%	1,256	88.0%
	Hanawa	10,061	2,228	22.1%	1,941	87.1%	1,848	82.9%
	Samegawa	4,197	793	18.9%	736	92.8%	708	89.3%
		Subtotal	152,231	32,293	21.2%	29,512	91.4%	28,184
Aizu	Aizuwakamatsu	127,819	27,824	21.8%	24,265	87.2%	21,777	78.3%
	Kitakata	53,203	9,064	17.0%	7,865	86.8%	7,015	77.4%
	Kitashiobara	3,275	586	17.9%	505	86.2%	445	75.9%
	Nishiaizu	7,725	1,419	18.4%	1,232	86.8%	1,150	81.0%
	Bandai	3,888	745	19.2%	662	88.9%	598	80.3%
	Inawashiro	16,278	3,541	21.8%	3,205	90.5%	2,983	84.2%
	Aizubange	17,881	3,174	17.8%	2,763	87.1%	2,414	76.1%
	Yugawa	3,514	699	19.9%	592	84.7%	483	69.1%
	Yanaizu	4,077	708	17.4%	603	85.2%	544	76.8%
	Mishima	2,031	370	18.2%	314	84.9%	297	80.3%
	Kaneyama	2,544	619	24.3%	539	87.1%	512	82.7%
	Showa	1,569	344	21.9%	311	90.4%	307	89.2%
Aizumisato	23,413	4,474	19.1%	3,952	88.3%	3,497	78.2%	
	Subtotal	267,217	53,567	20.0%	46,808	87.4%	42,022	78.4%
Minami-aizu	Shimogo	6,650	1,200	18.0%	1,046	87.2%	952	79.3%
	Hinoemata	614	142	23.1%	127	89.4%	118	83.1%
	Tadamri	5,030	1,082	21.5%	922	85.2%	849	78.5%
	Minami-aizu	18,493	3,612	19.5%	2,789	77.2%	2,521	69.8%
		Subtotal	30,787	6,036	19.6%	4,884	80.9%	4,440
Soso	Soma	37,383	12,950	34.6%	12,246	94.6%	12,028	92.9%
	Minami-soma	70,019	29,670	42.4%	28,757	96.9%	28,661	96.6%
	Hirono	5,165	2,193	42.5%	2,092	95.4%	2,082	94.9%
	Naraha	7,964	4,131	51.9%	3,927	95.1%	3,914	94.7%
	Tomioka	15,754	8,546	54.2%	8,314	97.3%	8,287	97.0%
	Kawauchi	2,996	1,519	50.7%	1,463	96.3%	1,456	95.9%
	Okuma	11,476	5,997	52.3%	5,696	95.0%	5,673	94.6%
	Futaba	7,051	3,912	55.5%	3,802	97.2%	3,791	96.9%
	Namie	21,339	12,860	60.3%	12,580	97.8%	12,539	97.5%
	Katsurao	1,541	811	52.6%	750	92.5%	749	92.4%
	Shinchi	8,360	2,643	31.6%	2,483	93.9%	2,414	91.3%
	litate	6,592	3,414	51.8%	3,302	96.7%	3,290	96.4%
	Subtotal	195,640	88,646	45.3%	85,412	96.4%	84,884	95.8%
Iwaki	Iwaki	348,235	83,868	24.1%	79,538	94.8%	76,562	91.3%
	Total	2,055,533	541,653	26.4%	508,388	93.9%	491,093	90.7%

*Including Yamakiya of Kawamata, Namie and litate.

Estimated external radiation doses in the first four months (from March 11 through July 11)


Preceding Survey and full-scale survey

As of 30 June 2014

Estimated external radiation doses by region

Effective Dose (mSv)	Total	Excluding radiation workers	By region							Proportion (%) excluding radiation workers		
			Kempoku	Kenchu	Kennan	Aizu	Minami-aizu	Soso	Iwaki			
<1	266,517	261,140	23,669	53,547	21,892	37,114	3,775	54,509	66,634	62.0	94.0	99.8
1-2	137,081	134,848	77,265	41,613	2,826	254	29	12,266	595	32.0		
2-3	22,950	22,600	13,811	7,115	12	16	0	1,621	25	5.4	5.7	
3-4	1,457	1,382	433	369	0	1	0	576	3	0.3		
4-5	536	494	39	5	0	0	0	449	1	0.1	0.2	
5-6	426	373	16	2	0	0	0	354	1	0.1		
6-7	263	225	10	0	0	0	0	215	0	0.1	0.1	
7-8	151	114	1	0	0	0	0	113	0	0.0		
8-9	113	73	1	0	0	0	0	72	0	0.0	0.0	
9-10	68	39	0	0	0	0	0	39	0	0.0		
10-11	65	33	0	0	0	0	0	33	0	0.0	0.0	
11-12	52	31	1	0	0	0	0	30	0	0.0		
12-13	35	13	0	0	0	0	0	13	0	0.0	0.0	
13-14	33	12	0	0	0	0	0	12	0	0.0		
14-15	27	6	0	0	0	0	0	6	0	0.0	0.0	
≥15	302	11	0	0	0	0	0	11	0	0.0		
Total	430,076	421,394	115,246	102,651	24,730	37,385	3,804	70,319	67,259	100.0	100.0	100.0
Max	66	25	11	5.9	2.6	3.6	1.9	25	5.9			
Mean value	0.9	0.8	1.4	1.0	0.6	0.2	0.1	0.8	0.3			

Percentages have been rounded and may not total to 100%.



*Total of completed dose estimation(508,388) excluding radiation workers(9,905).

Estimated external radiation doses by estimation period and region

Table A (Estimated for the first four months and less.)

As of 30 June 2014

Effective Dose (mSv)	Total	Excluding radiation workers			By region													
					Kempoku*	Kenchu	Kennan	Aizu	Minami-aizu	Soso**	Iwaki							
<1	336,514	330,187	66.2%	94.7%	42,081	30.5%	70,460	58.0%	26,331	90.1%	46,101	99.4%	4,818	99.4%	62,929	78.1%	77,467	99.2%
1-2	144,122	141,711	28.4%	99.8%	81,092	58.8%	43,449	35.7%	2,887	9.9%	270	0.6%	30	0.6%	13,373	16.6%	610	0.8%
2-3	23,763	23,366	4.7%		14,079	10.2%	7,257	6.0%	13	0.0%	16	0.0%	0	0.0%	1,976	2.5%	25	0.0%
3-4	1,643	1,559	0.3%	5.0%	463	0.3%	375	0.3%	0	0.0%	1	0.0%	0	0.0%	717	1.0%	3	0.0%
4-5	629	584	0.1%		48	0.0%	7	0.0%	0	0.0%	0	0.0%	0	0.0%	527	0.7%	2	0.0%
5-6	499	440	0.1%	0.2%	26	0.0%	2	0.0%	0	0.0%	0	0.0%	0	0.0%	411	0.5%	1	0.0%
6-7	300	261	0.1%		12	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	249	0.3%	0	0.0%
7-8	169	130	0.0%	0.1%	2	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	128	0.2%	0	0.0%
8-9	125	82	0.0%		1	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	81	0.1%	0	0.0%
9-10	77	44	0.0%	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	44	0.1%	0	0.0%
10-11	75	42	0.0%		0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	42	0.1%	0	0.0%
11-12	53	31	0.0%	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	30	0.0%	0	0.0%
12-13	39	13	0.0%		0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	13	0.0%	0	0.0%
13-14	35	13	0.0%	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	13	0.0%	0	0.0%
14-15	30	8	0.0%		0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	8	0.0%	0	0.0%
≥15	315	12	0.0%	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	12	0.0%	0	0.0%
Total	508,388	498,483	100.0%	100.0%	137,805	100%	121,550	100%	29,231	100%	46,388	100%	4,848	100%	80,553	100%	78,108	100%
Max	66mSv	25mSv			11mSv		5.9mSv		2.6mSv		3.6mSv		1.9mSv		25mSv		5.9mSv	
Mean value	0.8mSv	0.8mSv			1.2mSv		0.9mSv		0.5mSv		0.2mSv		0.1mSv		0.7mSv		0.3mSv	

*Including Yamakiya of Kawamata.

Percentages have been rounded and may not total to 100%.

**Including Namie and Itate.

Table B (Estimated for the first four months.)

As of 30 June 2014

Effective Dose (mSv)	Total	Excluding radiation workers			By region													
					Kempoku*	Kenchu	Kennan	Aizu	Minami-aizu	Soso**	Iwaki							
<1	266,517	261,140	62.0%	94.0%	23,669	20.5%	53,547	52.2%	21,892	88.5%	37,114	99.3%	3,775	99.2%	54,509	77.5%	66,634	99.1%
1-2	137,081	134,848	32.0%	99.8%	77,265	67.0%	41,613	40.5%	2,826	11.4%	254	0.7%	29	0.8%	12,266	17.4%	595	0.9%
2-3	22,950	22,600	5.4%		13,811	12.0%	7,115	6.9%	12	0.0%	16	0.0%	0	0.0%	1,621	2.3%	25	0.0%
3-4	1,457	1,382	0.3%	5.7%	433	0.4%	369	0.4%	0	0.0%	1	0.0%	0	0.0%	576	0.8%	3	0.0%
4-5	536	494	0.1%		39	0.0%	5	0.0%	0	0.0%	0	0.0%	0	0.0%	449	0.6%	1	0.0%
5-6	426	373	0.1%	0.2%	16	0.0%	2	0.0%	0	0.0%	0	0.0%	0	0.0%	354	0.5%	1	0.0%
6-7	263	225	0.1%		10	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	215	0.3%	0	0.0%
7-8	151	114	0.0%	0.1%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	113	0.2%	0	0.0%
8-9	113	73	0.0%		1	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	72	0.1%	0	0.0%
9-10	68	39	0.0%	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	39	0.1%	0	0.0%
10-11	65	33	0.0%		0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	33	0.0%	0	0.0%
11-12	52	31	0.0%	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	30	0.0%	0	0.0%
12-13	35	13	0.0%		0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	13	0.0%	0	0.0%
13-14	33	12	0.0%	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	12	0.0%	0	0.0%
14-15	27	6	0.0%		0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	6	0.0%	0	0.0%
≥15	302	11	0.0%	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	11	0.0%	0	0.0%
Total	430,076	421,394	100.0%	100.0%	115,246	100%	102,651	100%	24,730	100%	37,385	100%	3,804	100%	70,319	100%	67,259	100%
Max	66mSv	25mSv			11mSv		5.9mSv		2.6mSv		3.6mSv		1.9mSv		25mSv		5.9mSv	
Mean value	0.9mSv	0.8mSv			1.4mSv		1.0mSv		0.6mSv		0.2mSv		0.1mSv		0.8mSv		0.3mSv	

*Including Yamakiya of Kawamata.

Percentages have been rounded and may not total to 100%.

**Including Namie and Itate.

Table C (Table A-Table B) Estimated for less than four months.

As of 30 June 2014

Effective Dose (mSv)	Total	Excluding radiation workers			By region													
					Kempoku*	Kenchu	Kennan	Aizu	Minami-aizu	Soso**	Iwaki							
<1	69,997	69,047	89.6%	98.5%	18,412	81.6%	16,913	89.5%	4,439	98.6%	8,987	99.8%	1,043	99.9%	8,420	82.3%	10,833	99.9%
1-2	7,041	6,863	8.9%	99.8%	3,827	17.0%	1,836	9.7%	61	1.4%	16	0.2%	1	0.1%	1,107	10.8%	15	0.1%
2-3	813	766	1.0%		268	1.2%	142	0.8%	1	0.0%	0	0.0%	0	0.0%	355	3.5%	0	0.0%
3-4	186	177	0.2%	1.2%	30	0.1%	6	0.0%	0	0.0%	0	0.0%	0	0.0%	141	1.4%	0	0.0%
4-5	93	90	0.1%		9	0.0%	2	0.0%	0	0.0%	0	0.0%	0	0.0%	78	0.8%	1	0.0%
5-6	73	67	0.1%	0.2%	10	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	57	0.6%	0	0.0%
6-7	37	36	0.0%		2	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	34	0.3%	0	0.0%
7-8	18	16	0.0%	0.1%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	15	0.1%	0	0.0%
8-9	12	9	0.0%		0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	9	0.1%	0	0.0%
9-10	9	5	0.0%	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	5	0.0%	0	0.0%
10-11	10	9	0.0%		0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	9	0.1%	0	0.0%
11-12	1	0	0.0%	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
12-13	4	0	0.0%		0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
13-14	2	1	0.0%	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	0	0.0%
14-15	3	2	0.0%		0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	0	0.0%
≥15	13	1	0.0%	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	0	0.0%
Total	78,312	77,089	100.0%	100.0%	22,559	100%	18,899	100%	4,501	100%	9,003	100%	1,044	100%	10,234	100%	10,849	100%
Max	—	—			—		—		—		—		—		—		—	
Mean value	—	—			—		—		—		—		—		—		—	

*Including Yamakiya of Kawamata.

Percentages have been rounded and may not total to 100%.

**Including Namie and Itate.

Estimated external radiation dose by age group (excluding radiation workers)

Effective Dose (mSv)	Age at the time of the disaster									Total
	0 - 9	10 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80 -	
<1	40,902	36,957	19,572	31,397	26,403	30,692	34,125	24,373	16,719	261,140
1-2	19,529	17,869	9,374	16,982	15,813	17,861	18,719	11,854	6,847	134,848
2-3	5,289	3,297	1,032	2,151	2,087	2,789	3,231	1,904	820	22,600
3-4	216	137	76	147	143	224	216	156	67	1,382
4-5	19	45	36	40	76	90	77	72	39	494
5-6	13	14	26	32	42	83	73	63	27	373
6-7	4	5	11	21	24	44	51	44	21	225
7-8	3	6	7	8	13	34	22	14	7	114
8-9	2	4	3	8	7	15	14	10	10	73
9-10	0	1	1	2	4	12	11	5	3	39
10-11	1	1	1	2	5	11	3	6	3	33
11-12	0	0	1	3	0	6	8	11	2	31
12-13	0	0	0	0	1	6	4	1	1	13
13-14	0	0	1	1	1	4	3	2	0	12
14-15	0	0	0	0	0	3	3	0	0	6
≥15	0	0	0	0	2	2	4	1	2	11
Total	65,978	58,336	30,141	50,794	44,621	51,876	56,564	38,516	24,568	421,394

Estimated external radiation doses by sex in the first four months (excluding radiation workers)

Effective Dose (mSv)	By sex				Total	Proportion (%)
	Male	Proportion (%)	Female	Proportion (%)		
<1	116,202	60.3	144,938	63.4	261,140	62.0
1-2	62,493	32.4	72,355	31.6	134,848	32.0
2-3	12,315	6.4	10,285	4.5	22,600	5.4
3-4	889	0.5	493	0.2	1,382	0.3
4-5	276	0.1	218	0.1	494	0.1
5-6	191	0.1	182	0.1	373	0.1
6-7	125	0.1	100	0.0	225	0.1
7-8	67	0.0	47	0.0	114	0.0
8-9	43	0.0	30	0.0	73	0.0
9-10	23	0.0	16	0.0	39	0.0
10-11	20	0.0	13	0.0	33	0.0
11-12	17	0.0	14	0.0	31	0.0
12-13	6	0.0	7	0.0	13	0.0
13-14	8	0.0	4	0.0	12	0.0
14-15	3	0.0	3	0.0	6	0.0
≥15	8	0.0	3	0.0	11	0.0
Total	192,686	100.0	228,708	100.0	421,394	100.0

Percentages have been rounded and may not total to 100%.

As of 30 June 2014

Estimated external radiation doses by region in the first four months (from March 11 through July 11) excluding radiation workers

Area/region		Effective Doses (mSv)															Total	
		<1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15		≥15
Kempoku	Fukushima	15,402	48,689	8,309	130	12	8	4	0	0	0	0	0	0	0	0	0	72,554
	Nihonmatsu	1,258	7,844	3,057	83	1	0	0	0	0	0	0	0	0	0	0	0	12,243
	Date	4,136	8,410	1,068	144	8	2	3	1	1	0	0	0	0	0	0	0	13,773
	Motomiya	685	4,757	1,007	20	1	0	0	0	0	0	0	0	0	0	0	0	6,470
	Kori	303	2,629	63	2	0	1	0	0	0	0	0	0	0	0	0	0	2,998
	Kunimi	910	1,335	12	0	0	0	0	0	0	0	0	0	0	0	0	0	2,257
	Kawamata	613	2,634	174	52	17	5	3	0	0	0	0	1	0	0	0	0	3,499
	Otama	362	967	121	2	0	0	0	0	0	0	0	0	0	0	0	0	1,452
Kempoku Subtotal		23,669	77,265	13,811	433	39	16	10	1	1	0	0	1	0	0	0	115,246	
Kenchu	Koriyama	22,258	36,638	6,733	359	5	2	0	0	0	0	0	0	0	0	0	0	65,995
	Sukagawa	9,763	2,880	289	4	0	0	0	0	0	0	0	0	0	0	0	0	12,936
	Tamura	6,958	641	22	3	0	0	0	0	0	0	0	0	0	0	0	0	7,624
	Kagamiishi	2,161	67	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2,228
	Tenei	321	459	42	1	0	0	0	0	0	0	0	0	0	0	0	0	823
	Ishikawa	2,955	36	1	0	0	0	0	0	0	0	0	0	0	0	0	0	2,992
	Tamakawa	1,093	16	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1,112
	Hirata	1,205	34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1,239
	Asakawa	1,107	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1,122
	Furudono	986	14	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1,001
Miharu	2,918	737	22	2	0	0	0	0	0	0	0	0	0	0	0	0	3,679	
Ono	1,822	76	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1,900	
Kenchu Subtotal		53,547	41,613	7,115	369	5	2	0	0	0	0	0	0	0	0	0	102,651	
Kennan	Shirakawa	9,643	958	5	0	0	0	0	0	0	0	0	0	0	0	0	0	10,606
	Nishigo	2,069	1,699	2	0	0	0	0	0	0	0	0	0	0	0	0	0	3,770
	Izumizaki	967	19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	986
	Nakajima	729	8	1	0	0	0	0	0	0	0	0	0	0	0	0	0	738
	Yabuki	3,066	75	1	0	0	0	0	0	0	0	0	0	0	0	0	0	3,142
	Tanagura	2,248	28	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2,279
	Yamatsuri	1,039	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1,047
	Hanawa	1,536	21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1,557
Samegawa	595	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	605	
Kennan Subtotal		21,892	2,826	12	0	0	0	0	0	0	0	0	0	0	0	0	24,730	
Aizu	Aizuwakamatsu	19,370	135	6	0	0	0	0	0	0	0	0	0	0	0	0	0	19,511
	Kitakata	6,183	43	1	1	0	0	0	0	0	0	0	0	0	0	0	0	6,228
	Kitashiobara	397	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	400
	Nishiaizu	895	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	897
	Bandai	547	9	1	0	0	0	0	0	0	0	0	0	0	0	0	0	557
	Inawashiro	2,539	26	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2,568
	Aizubange	2,267	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2,279
	Yugawa	493	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	496
	Yanaizu	461	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	465
	Mishima	221	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	221
	Kaneyama	372	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	374
	Showa	229	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	230
Aizumisato	3,140	16	3	0	0	0	0	0	0	0	0	0	0	0	0	0	3,159	
Aizu Subtotal		37,114	254	16	1	0	0	0	0	0	0	0	0	0	0	0	37,385	
Minami-aizu	Shimogo	817	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	822
	Hinoemata	97	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	97
	Tadami	717	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	721
	Minami-aizu	2,144	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2,164
Minami-aizu Subtotal		3,775	29	0	0	0	0	0	0	0	0	0	0	0	0	0	3,804	
Soso	Soma	9,525	424	85	20	5	0	0	0	0	2	0	0	0	0	0	0	10,061
	Minami-soma	18,647	6,046	493	95	35	3	6	4	1	0	0	1	0	0	0	0	25,331
	Hirono	1,799	52	2	0	0	0	1	0	1	0	0	0	0	0	0	0	1,855
	Naraha	3,312	125	13	2	0	1	1	0	0	0	0	0	0	0	0	0	3,454
	Tomioka	5,757	1,095	98	18	3	2	0	3	2	0	0	1	0	0	0	0	6,979
	Kawauchi	949	345	16	1	0	1	1	1	0	0	0	0	0	0	0	0	1,314
	Okuma	3,280	1,243	104	16	6	4	4	3	0	2	2	1	0	4	0	1	4,670
	Futaba	2,644	463	72	18	6	4	3	6	2	1	0	2	0	0	0	1	3,222
	Namie	5,855	1,972	354	64	37	17	15	12	9	5	10	8	5	4	3	6	8,376
	Katsurao	493	158	24	4	0	1	0	0	0	0	0	0	0	0	0	0	680
	Shinchi	2,052	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2,072
litate	196	323	360	338	357	321	184	84	57	29	21	17	8	4	3	3	2,305	
Soso Subtotal		54,509	12,266	1,621	576	449	354	215	113	72	39	33	30	13	12	6	11	70,319
Iwaki	Iwaki	66,634	595	25	3	1	1	0	0	0	0	0	0	0	0	0	0	67,259
Total		261,140	134,848	22,600	1,382	494	373	225	114	73	39	33	31	13	12	6	11	421,394
Proportion (%)		62.0	32.0	5.4	0.3	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
		94.0		5.7		0.2		0.1		0.0		0.0		0.0			0.0	100.0
			99.8					0.2					0.0					0.0
Visitors	1,319	261	18	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1,600
Total+Visitors		262,459	135,109	22,618	1,384	494	373	225	114	73	39	33	31	13	12	6	11	422,994

Percentages have been rounded and may not total to 100%.